

Combined Index to AGRICULTURAL ENGINEERING

*The Journal of the
AMERICAN SOCIETY OF AGRICULTURAL ENGINEERS*

Volume 46 — January to December 1965

and

TRANSACTIONS of the ASAE

Volume 8, Number 1, 1965 — General Edition

Volume 8, Number 2, 1965 — General Edition

Volume 8, Number 3, 1965 — General Edition

Volume 8, Number 4, 1965 — General Edition



AGRICULTURAL ENGINEERING

| Issue | Pages | October | 531-598 |
|---------------------|---------|--------------------|---------|
| January | 1-52 | November | 599-658 |
| February | 53-118 | December | 659-710 |
| March | 119-178 | | |
| April | 179-242 | | |
| May | 243-298 | | |
| June | 299-360 | | |
| July | 361-412 | | |
| August | 413-474 | | |
| September | 475-530 | | |

and

TRANSACTIONS of the ASAE

| | |
|---|---------|
| Volume 8, No. 1 — General Edition | 1-152 |
| Volume 8, No. 2 — General Edition | 153-304 |
| Volume 8, No. 3 — General Edition | 305-456 |
| Volume 8, No. 4 — General Edition | 457-600 |

(Page numbers with prefix "T" refer to the TRANSACTIONS of the ASAE)

Published by the

AMERICAN SOCIETY OF AGRICULTURAL ENGINEERS
ST. JOSEPH, MICHIGAN

A

- Ackley, J. W.
Highway right-of-way maintenance spraying T 384
Adapting a fiberglass-reinforced foam-insulated sandwich panel to a rigid frame 20
Adhesive between members subjected to bending, Stresses in an T 497
Adrian, P. A.
Dynamics and design criteria of inertia-type shakers T 12
Forced vibration of a tree limb T 473
Advances in sedimentation relevant to watershed problems T 146
Aerial photograph interpretation, Mapping soils according to total available moisture, capacity through T 301
Aerial sprays, Effect of mechanical factors on atomization of oil-base T 590
Aerodynamic drag and terminal velocities of agronomic seeds in free fall, Determining T 553
Aerodynamic drag of farm grains T 49
Agricultural engineering — engineering and technology considerations 139
Agricultural engineer, Farm planning and the 500
Agricultural engineering graduates, Matriculation progression and employment status of 442
Agricultural management problems in India 446
Agricultural mechanization in east Asia 26
Agricultural mechanization?, Is there a need for a curriculum in 621
Agricultural products by loaded plungers, Determining modulus of elasticity in 274
Agriculture's role in the economy 553
Air cleaning, Mechanics of T 342
Air contaminants on equipment and animal performance, Need for study of effects of T 353
Air filtration and protection of air-tempering equipment, Methods of T 345
Air flow and pressure patterns for perforated grain-drying tunnels T 538
Air-flow resistance of hay pellets and wafers T 560
Air ionization in the environment of farm animals T 15
Air-tempering and filtering equipment to animal environment control, Fitting T 349

- Air-tempering equipment, Methods of air filtration and protection of T 345
Air velocities on heat and moisture loss and growth of swine, Effects of increased T 167
Algae in lagoons, Producing T 122
All-Plywood c-s storage, Long-term performance evaluation of an T 443
Allen, W. S.
Beef production (in hot climates) 80
Altman, L. B.
Farmstead wiring for large and scattered loads T 157
Design of electrically heated concrete slabs T 409
AMERICAN SOCIETY OF AGRICULTURAL ENGINEERS
ASAE winter meeting board action 19
Group insurance program for ASAE members 208
Assist in publications received through ASAE foundation 383
Analogs for ventilation design, Periodic T 223
Analogs of grain cooling by cross-flow aeration in tall structures, An T 56
Analytical design of sprinkler systems T 83
Anderson, Scott
Gases and odors in confinement swine buildings T 118
Animal-environment control, Fitting air-tempering and filtering equipment to T 349
Apples, Improving the processing quality of mechanically harvested T 277
Application of environmental control knowledge — dairy, beef, swine, poultry 78
Application of the Dupuit-Forchheimer assumptions in groundwater hydraulics T 510
Armburst, D. V.
Effect of kind, amount, and placement of residue on wind erosion control T 327
Artificial soils, Comparison of methods of measuring soil shear strength using T 153
ASEE: on educating engineers 637
Assist in publications received through ASAE foundation 383
Atomization of oil-base aerial sprays, Effect of mechanical factors on T 590
Audio-frequency magnetic fields through soil, Propagating T 264
Automatic header-height control for grain crops T 284
Axial thrust in vertical turbine pumps 140

B

- Bailey, A. C.
Comparison of methods of measuring soil shear strength using artificial soils T 153
Bailey, William A.
Measuring farmstead water use 204
Bainer, Roy
Report on NAS engineering and industrial research 203
Bakker-Arkema, F. W.
Importance of boundary conditions in solving the diffusion equation for dry-forage wafers T 382
Balancing technique for moisture control in structural components of controlled-atmosphere storages, A T 505
Balk, William A.
Factors affecting pellet-mill performance with coastal bermudagrass T 532
Ballast compared, Tractor-tire T 594
Ballast in pneumatic tires on stability of tractors, Effect of liquid and dry T 135
Barada, M. F.
Measuring kill rates of chlor-dechlor systems 560
Barker, G. L.
Interrelation of physical and chemical properties in flow of colloidal suspensions in porous media T 259
Barnett, A. P.
To weigh dry soil in sludge — fast 451
Soil erodibility factors for selected soils in Georgia and South Carolina T 393
BARTH, C. L.
Dairy production (in cold climates) 79
Practical farrowing facilities for secondary farm enterprise 328
Barwick, A. J.
Periodic analog for ventilation design T 223
Basin forming and reseeding of rangeland T 202
Bassett, D. L.
Unsteady flow of water over a porous bed having constant infiltration T 60
Bear, W. F.
Iowa state professors take a look at matriculation progression and employment status of agricultural engineering graduates 442
Becker, Clarence F.
How mechanical stackers stack up 626

| | | |
|--|--|-------|
| Beckett, F. E. | | |
| Effective temperature for evaluating or designing hog environments | T 163 | |
| Beef production (in cold climates) | 81 | |
| Beef production (in hot climates) | 80 | |
| Bear, C. E. | | |
| Effect of land slope and terrace systems on machine efficiencies | T 235 | |
| Behavior of threshed materials in a vertical wind tunnel | T 411 | |
| Bell, E. S. | | |
| Temperature-controlled swine housing: weaning to market | T 545 | |
| Bennett, A. H. | | |
| Mean average temperature of fruits and vegetables during transient cooling | T 249 | |
| Bennett, R. T. | | |
| What about computers in industry? | 332 | |
| Benoit, G. R. | | |
| Procedure for estimating occurrence of soil moisture deficiency and excess | T 219 | |
| Benz, L. C. | | |
| Neutron moisture meter calibration for use in saline soils | 326 | |
| Bermudagrass, Effect of physical form on drying rate of coastal | T 253 | |
| Bermudagrass, Factors affecting pellet-mill performance with coastal | T 532 | |
| Berry, I. L. | | |
| Control systems for self-actuated cattle sprayers | 384 | |
| Thermal insulation of bovine hair coats as related to physical hair characteristics | T 377 | |
| Bilanski, W. K. | | |
| Behavior of threshed materials in a vertical wind tunnel | T 411 | |
| Bins for metering grain, hay and silage, flat-bottom, self-unloading | T 86 | |
| Bio-engineering properties of olives, Determining selected | T 271 | |
| Blittinger, M. W. | | |
| Development and dissipation of a ground-water mound | T 103 | |
| Blackman, W. C., Jr. | | |
| Treatment of livestock waste - a laboratory study | T 113 | |
| Blake, G. R. | | |
| Primary tillage for potatoes | T 246 | |
| Blind rivets?, How good are | 624 | |
| Blueprint for dairy loose housing, A | 504 | |
| Bockhop, C. W. | | |
| Characteristics of a teflon-covered simple tillage tool | T 227 | |
| Determining field surfaces in relation to tractor dynamics | T 550 | |
| Bolts, New in high-strength | 318 | |
| Bond, T. E. | | |
| Effects of increased air velocities on heat and moisture loss and growth of swine | T 167 | |
| Booster, D. E. | | |
| Mechanical harvesting of cane fruits | T 170 | |
| Border checks on a sandy soil, Performance and design of | T 141 | |
| Bornstein, Joseph | | |
| Tile drainage of a sloping fragipan soil | T 555 | |
| Boundary conditions in solving the diffusion equation for drying forage wafers, Importance of | T 382 | |
| Bouwer, Herman | | |
| Limitation of the Dupuit-Forchheimer assumption in recharge and seepage | T 512 | |
| Bowditch, H. G. | | |
| Dynamic and kinematic characteristics of stump-jump mechanisms | T 406 | |
| Bowers, Wendell | | |
| What about minimum tillage? | 332 | |
| Bowie, A. J. | | |
| Sediment sampling: instrumentation and techniques | T 267 | |
| Boyd, J. S. | | |
| Adapting a fiberglass-reinforced foam-insulated sandwich panel to a rigid frame design | 20 | |
| Mathematical analysis of lateral pressures in flat-bottomed, deep grain bins | T 358 | |
| Boyer, M. C. | | |
| Natural resources coordinator - a modern concept in resources management | 23 | |
| Bragg, D. D. | | |
| Comparative egg-production costs of layers housed in conventional and controlled-environment buildings | T 486 | |
| Brandenburg, N. R. | | |
| Physical properties of seed | T 30 | |
| Brevik, T. J. | | |
| Dairy production (in cold climates) | 79 | |
| Practical farrowing facilities for secondary farm enterprise | 328 | |
| Brewer, H. L. | | |
| Determining selected bio-engineering properties of olives | | |
| Part I. Ease of detachment: linear motion | T 271 | |
| Part II. Ease of detachment: reciprocating motion | T 273 | |
| Brooker, D. B. | | |
| Aerodynamic drag of farm grains | T 49 | |
| An analog of grain cooling by cross-flow aeration in tall structures | T 56 | |
| Brown, R. H. | | |
| Air ionization in the environment of farm animals | T 15 | |
| Brown rice to crack, Relative humidity changes that cause | T 396 | |
| Brubaker, J. E. | | |
| Determining static coefficients of friction of grains on structural surfaces | T 53 | |
| Bruns, E. G. | | |
| Dairy production (in cold climates) | 79 | |
| Practical farrowing facilities for secondary farm enterprise | 328 | |
| Bubenzer, G. D. | | |
| Simulation of rainfall and soils for laboratory research | T 73 | |
| Buchele, W. F. | | |
| Program, The | 30 | |
| Building appraisal - a guide to obsolescence | 448 | |
| Bullock, R. M. | | |
| Mechanical harvesting of cane fruits | T 170 | |
| Bundy, C. E. | | |
| Iowa state professors take a look at matriculation progression and employment status of agricultural engineering graduates | 442 | |
| Bunn, J. M. | | |
| Colorimetric evaluation of burley tobacco curing cycles | T 417 | |
| Burkhardt, G. J. | | |
| Design data for pneumatic conveying of chopped forage | T 194 | |
| Pneumatic conveying of chopped forage | T 196 | |
| Butchbaker, A. F. | | |
| Development of homeothermic regulation in young pigs | T 481 | |
| Butler, B. J. | | |
| Highway right-of-way maintenance spraying | T 384 | |
| Butler, James L. | | |
| Energy comparisons in processing coastal bermudagrass and alfalfa | T 175 | |
| C | | |
| C-A storage. | Long-term performance evaluation of an all-plywood | T 443 |
| Cane fruits. | Mechanical harvesting of | T 170 |
| Cannon, M. D. | | |
| Thermal environments under synthetic strip mulches | T 374 | |
| Cantaloupes. | Mechanical harvesting of | 74 |
| Capacitor motors for high-torque farm jobs | 438 | |
| Card, D. G. | | |
| Evaluating light sources for grading tobacco | T 452 | |
| Carl, K. R. | | |
| Effects of freezing rate on structure and drying rate of freeze-dried foods | T 414 | |
| Carlton, J. B. | | |
| Effect of mechanical factors on atomization of oil-base aerial sprays | T 590 | |
| Carpenter, T. G. | | |
| Farmstead wiring for large and scattered loads | T 157 | |
| Carreker, John R. | | |
| Mosquito potential in flood-detention reservoirs | T 161 | |
| Carter, C. E. | | |
| Rates and particle-size distributions of soil erosion from unit source areas | T 309 | |
| Carter, L. M. | | |
| Precision tillage for cotton production | T 177 | |
| Cattle in the southeast, Height of artificial shades for | T 312 | |
| Cattle sprayers, Control systems for self-actuated | 384 | |
| Certain dielectric and physical properties of intact tobacco leaves | T 524 | |
| Chancellor, W. J. | | |
| Mechanical energy balance for a volume element of soil during strain | T 426 | |
| A simple solar radiometer | T 542 | |
| Characteristics of a tapered-screw conveyor for mixing granular materials | T 528 | |
| Characteristics of a teflon-covered simple tillage tool | T 227 | |
| Charity, L. F. | | |
| Farmstead wiring for large and scattered loads | T 157 | |
| Design of electrically heated concrete slabs | T 409 | |
| Chase, William D. | | |
| How good are blind rivets? | 624 | |
| CHECK POINTS | | |
| A tribute - incorporation - service award bars | 40 | |
| President Johnson urges more career guidance | 106 | |
| Salary data, insurance plan, and dictionary | 166 | |
| Participation: preamble to progress | 230 | |
| A neglected market and Oklahoma-style career guidance | 290 | |
| The agricultural (r)evolution | 400 | |
| AE technicians and vocations | 466 | |
| Two national meetings and employment service | 516 | |
| A week to remember | 584 | |
| A salute to our presidents | 646 | |
| The quick and the dead | 700 | |
| Chemical and biological reactions from lagoons used for cattle | T 449 | |
| Chemical treatment to durability of wood in ground contact, Relation of heavy | T 238 | |
| Chepil, W. S. | | |
| Effect of kind, amount, and placement of residue on wind erosion control | T 327 | |
| Chesson, Eugene, Jr. | | |
| New in high-strength bolts | 318 | |
| Chlor-dechlor systems. | Measuring kill rates of | 560 |
| Chopped forage, Design data for pneumatic conveying of | T 194 | |
| Chopped hay in storage, Mechanical handling of | 452 | |
| Christian, E. D. | | |
| Measuring kill rates of chlor-dechlor systems | 560 | |
| Circular poultry house | 268 | |
| Clark, C. M. | | |
| Evaluating light sources for grading tobacco | T 452 | |
| Clark, D. E. | | |
| Vertical and horizontal mulch on Haldeman clay | T 592 | |
| Clayton, J. T. | | |
| Shear and flexural characteristics of reinforced concrete face-expanded polystyrene core structural panels | T 565 | |
| Clear-span shed roofs without trusses (stressed-skin construction) | T 455 | |
| Closed-loop system, Homeothermic regulation quantitatively analogized to a | T 476 | |
| Coastal bermudagrass and alfalfa, Energy comparisons of processing | T 175 | |
| Coefficient of permeability as a symmetric tensor of second rank, Darcy's | T 216 | |
| Coffee harvesting, Mechanical Part A | T 400 | |
| Part B | T 403 | |
| Collapsible tubing for headgate metering and turnout structures | 506 | |
| Collins, N. E. | | |
| Pneumatic conveying of chopped forage | T 196 | |
| Colloidal suspensions in porous media, Interrelation of physical and chemical properties in flow of | T 259 | |
| Colloids from suspension, Electrokinetic removal of | T 79 | |
| Colorimetric evaluation of burley tobacco curing cycles | T 417 | |
| Colwick, R. F. | | |
| Precision tillage for cotton production | T 177 | |
| Combines, Cooling systems for self-propelled | 499 | |
| Comminution, Energy-size reduction relations in agricultural grain | T 230 | |
| Compact curing of Maryland-type tobacco | T 596 | |
| Comparative egg production costs of layers housed in conventional and controlled-environment buildings | T 486 | |
| Comparison of methods of measuring soil shear strength using artificial soils | T 153 | |
| Computer analysis of tree shaking | T 8 | |
| Computers join SCS team in planning for watershed protection, Electronic | 272 | |
| Concrete face-expanded polystyrene core structural panels, Shear and flexural characteristics of | T 565 | |
| Concrete slabs, Design of electrically heated | T 409 | |
| Continuing education, Survey reveals attitudes of engineers toward | 263 | |
| Control of potato-storage diseases as affected by air flow, temperature and relative humidity | T 578 | |
| Control systems for self-actuated cattle sprayers | 384 | |
| Controlled-atmosphere storages, A balancing technique for moisture control in structural components of | T 505 | |
| Controlled-environment buildings, Comparative egg-production costs of layers housed in conventional and | T 486 | |
| Convenient gas-constant for use in storage and respiration studies: the "pound-molecular volume," A | T 292 | |
| Cooling for lactating dairy cows in a hot environment, Inspired-air | T 332 | |
| Cooling systems for self-propelled combines | 499 | |
| Coordinated development for new cotton production systems | T 568 | |
| Corn, Infrared drying of shelled | T 457 | |
| Corn: Yield potential and current developments, Narrow-row | T 322 | |
| Corrosion on zinc, A 20-year test of | 570 | |
| Cotton production, Precision tillage for | T 177 | |
| Cotton production systems, Coordinated development for new | T 568 | |
| Cotton to commerce and ginning research, Relation of physical properties of | T 488 | |
| Countryside become a human wasteland?, Why let the | 677 | |
| Cramer, R. D. | | |
| Shading devices to limit solar heat gain but increase cold sky radiation | T 470 | |
| Cridle, Wayne D. | | |
| To measure water use for a given area | 683 | |
| Cromer, C. A. | | |
| Seasonal variation in extreme rainfall over the northeastern United States | T 180 | |
| Crop response to drainage: growth chambers, Studies of | T 94 | |
| Crop response to drainage: lysimeters, Studies of | T 98 | |
| Cross-flow aeration in tall structures, An analog of grain cooling by | T 56 | |
| Cummings, M. W. | | |
| Mechanical application of gopher bait | T 335 | |
| Curley, R. G. | | |
| Beef production (in hot climates) | 80 | |
| Curriculum in agricultural mechanization, Is there a need for a | 493 | |
| Curriculum in agricultural mechanization, Is there a need for | 621 | |

| | |
|---|-------|
| Curry, R. B. | |
| Electrokinetic removal of colloids from suspension | T 79 |
| Interrelation of physical and chemical properties in flow of colloidal suspensions in porous media | T 259 |
| Curtis, J. O. | |
| Stresses in an adhesive between members subjected to bending | T 497 |
| Cycling moisture content on lateral load-carrying capacity of three-member nailed wood joints, Effect of | T 314 |
| D | |
| Dahir, A. G. | |
| Effect of liquid and dry ballast in pneumatic tires on stability of tractors | T 135 |
| Dairy loose housing, A blueprint for | T 504 |
| Dairy manure, Disposal of | T 110 |
| Dairy production (in cold climates) | 79 |
| Dairy production (in hot climates) | 78 |
| Dale, Alvin C. | |
| A 20-year test of corrosion on zinc | 570 |
| Stresses in an adhesive between members subjected to bending | T 497 |
| Darcy's coefficient of permeability as a symmetric tensor of second rank | T 216 |
| Davies, H. R. | |
| Poultry (in cold climates) | 84 |
| Davils, W. M. | |
| How good are farm tractor transmissions | 380 |
| Day, D. L. | |
| Gases and odors in confinement swine building | T 118 |
| Predicting performance of cross-flow systems for drying grain in storage in deep cylindrical bins | T 288 |
| Desorption isotherms for wheat | T 293 |
| DeBoer, Darrell W. | |
| Investigating flow into tile at joints | 494 |
| DeCoursey, Donn G. | |
| Water yield computations | T 367 |
| Derrick, A. R. | |
| Soil particles and aggregates transported in runoff from simulated rainfall | T 437 |
| Evaluation of mulches for water-erosion control | T 438 |
| de la Rosa, F. A. | |
| A simple solar radiometer | T 542 |
| Delayed light emission, Fruit sorting by | T 18 |
| Derivation of differential equation governing simultaneous flow of liquids and gases through porous media | T 210 |
| Design data for pneumatic conveying of chopped forage | T 194 |
| Design of domestic water systems for better fire protection | 24 |
| Design of electrically heated concrete slabs | T 409 |
| Desorption isotherms for wheat | T 293 |
| Determining aerodynamic drag and terminal velocities of agronomic seeds in free fall | T 553 |
| Determining field surfaces in relation to tractor dynamics | T 550 |
| Determining modulus of elasticity in agricultural products by loaded plungers | 274 |
| Determining selected bio-engineering properties of olives | |
| Part I. Ease of detachment: linear motion | T 271 |
| Part II. Ease of detachment: reciprocating motion | T 273 |
| Determining static coefficients of friction of grains on structural surfaces | T 53 |
| Development and dissipation of a ground-water mound | T 103 |
| Development of homeothermic regulation in young pigs | T 481 |
| Developments in hog-manure disposal | T 107 |
| Dexter, S. T. | |
| A convenient gas-constant for use in storage and respiration studies: the "pound-molecular volume" | T 292 |
| DeWiest, Roger J. M. | |
| History of the Dupuit-Forcheimer assumptions on groundwater hydraulics | T 508 |
| Seasonal variation in extreme rainfall over the northeastern United States | T 180 |
| Dielectric and physical properties of intact tobacco leaves, Certain | T 524 |
| Dielectric properties of grain and seed in the 1 to 50-mc range | T 38 |
| Diener, R. G. | |
| Vibration characteristics of trellis-trained apple trees with reference to fruit detachment | T 20 |
| Differential equation governing simultaneous flow of liquids and gases through porous media, Derivation of | T 210 |
| Diffusion equation for drying forage wafers, Importance of boundary conditions in solving the | T 382 |
| Disposal of dairy manure | T 110 |
| Dooley, A. E. | |
| Soil erodibility factors for selected soils in Georgia and South Carolina | T 393 |
| Doty, C. W. | |
| Rates and particle-size distributions of soil erosion from unit source areas | T 309 |
| Drainage by wells, Soil and stratigraphic considerations in a study of | T 558 |
| Drainage characteristics of Fargo-Bearden soils | T 371 |
| Drainage ditches under tidal influences, Hydraulic studies of | T 460 |
| Drainage, Limitations of Dupuit-Forcheimer theory in | T 515 |
| Drainage pump, How to select a | 630 |
| Drier for fruits and vegetables, Laboratory | 26 |
| Drought in the great plains during the last 700 years, Recurrence of | 85 |
| Drying, An equation and dimensionless parameters describing infrared vibration | T 520 |
| Drying of shelled corn, Infrared | T 457 |
| Drying rate of coastal bermudagrass, Effect of physical form on | T 253 |
| Dupuit-Forcheimer assumption in recharge and seepage, Limitation of the | T 512 |
| Dupuit-Forcheimer assumptions on groundwater hydraulics, Application of the | T 510 |
| Dupuit-Forcheimer assumptions on groundwater hydraulics, History of the | T 508 |
| Dupuit-Forcheimer theory in drainage, Limitations of | T 515 |
| Durability of wood in ground contact, Relation of heavy chemical treatment to | T 238 |
| Dust and air filtration in animal shelters (a symposium) | T 338 |
| Dust problems in poultry environments | T 338 |
| Dust problems in livestock environments | T 340 |
| Mechanics of air cleaning | T 342 |
| Methods of air filtration and protection of air-tempering equipment | T 345 |
| Fitting air-tempering and filtering equipment to animal-environment control | T 349 |
| Need for study of effects of air contaminants on equipment and animal performance | T 353 |
| Dylla, A. S. | |
| Importance of measuring soil moisture changes in nonweighing evapotranspiration tanks | T 365 |
| Dynamic and kinematic characteristics of stump-jump mechanisms | T 406 |
| Dynamics and design criteria of inertia-type tree shakers | T 12 |
| E | |
| Earp, U. F. | |
| Spectral response of hornworm moths | T 183 |
| Earthworking equipment, Feasibility of model study in | T 298 |
| Eby, H. J. | |
| Waste disposal - pre-eminent challenge to agricultural engineers | 220 |
| Economics of water conservation with monomolecular films | T 127 |
| EDITORIALS | |
| ASAE winter meeting board action | 19 |
| Marciculture - its recent development and its future | 73 |
| Agricultural engineering - engineering and technology considerations | 139 |
| Report on NAS engineering and industrial research | 203 |
| Survey reveals attitudes of engineering toward continuing education | 263 |
| Latin America tomorrow | 317 |
| Profession of the future | 379 |
| New breed of revolutionists | 435 |
| Is there a need for a curriculum in agricultural mechanization? | 493 |
| Agriculture's role in the economy | 553 |
| Is there a need for a curriculum in agricultural mechanization? | 621 |
| Why let the countryside become a human wasteland? | 677 |
| Education, Survey reveals attitudes of engineers towards continuing | 263 |
| Effect of cycling moisture content on lateral load-carrying capacity of three-member nailed wood joints | T 314 |
| Effect of ground speed and type of fertilizer on metering accuracy | T 491 |
| Effect of kind, amount, and placement of residue on wind erosion control | T 327 |
| Effect of land slope and terrace systems on machine efficiencies | T 235 |
| Effect of liquid and dry ballast in pneumatic tires on stability of tractors | T 135 |
| Effect of mechanical factors on atomization of oil-base aerial sprays | T 590 |
| Effect of methods of storage on subsequent growth and yield of seed potatoes | T 138 |
| Effect of physical form on drying rate of coastal bermudagrass | T 253 |
| Effect of track shoe design on traction | T 244 |
| Effect of various degrees of environmental control on poultry production | T 204 |
| Effective temperature for evaluating or designing hog environments | T 163 |
| Effects of freezing rate on structure and drying rate of freeze-dried foods | T 414 |
| Effects of increased air velocities on heat and moisture loss and growth of swine | T 167 |
| Egg-production costs of layers housed in conventional and controlled-environment buildings, Comparative | T 486 |
| Elam, A. B., Jr. | |
| Procedure for estimating occurrence of soil moisture deficiency and excess | T 219 |
| Elasticity in agricultural products by loaded plungers, Determining modulus of | 274 |
| Electrically heated concrete slabs, Design of | T 409 |
| Electrokinetic removal of colloids from suspension | T 79 |
| Electronic computers join SCS team in planning for watershed protection | 272 |
| Emori, R. I. | |
| Feasibility of model study in earthworking equipment | T 298 |
| Energy balance for a volume element of soil during strain, Mechanical | T 426 |
| Energy comparisons in processing coastal bermudagrass and alfalfa | T 175 |
| Energy-size reduction relations in agricultural grain commination | T 230 |
| Engine wear rates during low-temperature operation, Influence of gasoline and propane fuels on spark-ignition | T 441 |
| Engineering and industrial research, Report on NAS | 203 |
| Engineering and quality aspects of deciduous fruits packed by volume-filling and hand-placing methods | T 584 |
| Engineering and technology considerations, Agricultural engineering | 139 |
| Engineers, ASEE: on educating | 637 |
| Environmental control knowledge - dairy, beef, swine, poultry, Application of | 78 |
| Environmental control on poultry production, Effect of various degrees of | T 204 |
| Equation and dimensionless parameters describing infrared vibration drying, An | T 520 |
| Equilibrium moisture of dry milk at high temperatures | T 535 |
| Erosion from unit source areas, Rates and particle-size distributions of soil | T 309 |
| Erosion resistance of soils, Relation of compaction and other soil properties to | T 419 |
| Estimating occurrence of soil moisture deficiency and excess, Procedure for | T 219 |
| Evaluating light sources for grading tobacco | T 452 |
| Evaluation of mulches for water-erosion control | T 438 |
| Evaluation of radioisotope and fluorescent tracer techniques, An | T 199 |
| Event markers for use in field test measurements of power | 572 |
| F | |
| Factors affecting pellet-mill performance with coastal bermudagrass | T 532 |
| Fang, Ken-Shou | |
| Axial thrust in vertical turbine pumps | 140 |
| How to select a drainage pump | 630 |
| Fang, T. Y. A. | |
| Long term performance evaluation of an all-plywood c-a storage | T 443 |
| Fargo-Bearden soils, Drainage characteristics of | T 371 |
| Farm planning and the agricultural engineer | 500 |
| Farming, Multiple-purpose plan for river-bottom | 388 |
| Farmstead wiring for large and scattered loads | T 157 |
| Farrowing pen, New style | 328 |
| Faulkner, Macon D. | |
| Leveling rice land in water | T 517 |
| Feasibility of model study in earthworking equipment | T 298 |
| Feed handling, How a utility helped promote automatic | 633 |
| Feed products, Problems in mixing animal | T 464 |
| Felton, K. E. | |
| Design data for pneumatic conveying of chopped forage | T 194 |
| Fenzl, R. N. | |
| Mapping soils according to total available moisture capacity through aerial photograph interpretation | T 301 |
| Fertilizer on metering accuracy, Effect of ground speed and type of | T 491 |
| Fiberglass-reinforced foam-insulated sandwich panel to a rigid frame design, Adapting a | 20 |
| Field surfaces in relation to tractor dynamics, Determining | T 550 |
| Fire protection, Design of domestic water systems for better | 24 |
| Fitting air-tempering and filtering equipment to animal-environment control | T 349 |
| Flail hay harvest system, A working | 678 |
| Flat-bottom, self-unloading bins for metering grain, hay and silage | T 86 |
| Fletcher, S. W., III | |
| Mechanical behavior of selected fruits and vegetables under fast rates of loading | T 324 |
| Flikke, Arnold M. | |
| Capacitor motors for high-torque farm jobs | 438 |
| Flood-detention reservoirs, Mosquito potential in | T 161 |
| Floodwater retarding structures | 150 |
| Flow in colloidal suspensions in porous media, Interrelation of physical and chemical properties in | T 259 |
| Flow into tile at joints, Investigating | 494 |
| Flow measurements in open channels, Rating submerged gates for | T 101 |
| Flow of water over a porous bed having constant infiltration, Unsteady | T 60 |
| Flowmeter, Motor-driven | 334 |
| Fluorescent tracer techniques, An evaluation of radioisotope and | T 199 |
| Foam-insulated sandwich panel to a rigid frame design, Adapting a fiberglass-reinforced | 20 |

| | |
|---|-------|
| Forage, Pneumatic conveying of chopped | T 196 |
| Forage wafers, Importance of boundary conditions in solving the diffusion equation for drying | T 382 |
| Force measurement, Transducer for surface | 688 |
| Forced vibration of a tree limb | T 473 |
| Foul, M. W. | |
| Infrared drying of shelled corn | T 457 |
| Foss, E. W. | |
| Design of domestic water systems for better fire protection | 24 |
| Fox, W. R. | |
| Characteristics of a teflon-covered simple tillage tool | T 227 |
| Freeze-dried foods, Effects of freezing rate on structure and drying rate on | T 414 |
| Freezing rate on structure and drying rate of freeze-dried foods, Effects of | T 414 |
| French, G. W. | |
| Primary tillage for potatoes | T 246 |
| Fresh water from the salty sea | 144 |
| Fresh water from the salty sea | 145 |
| Friction of grains on structural surfaces, Determining static coefficients of | T 53 |
| Fridley, R. B. | |
| Computer analysis of tree shaking | T 8 |
| Dynamics and design criteria of inertia-type tree shakers | T 12 |
| Forced vibration of a tree limb | T 473 |
| Frost, K. R. | |
| Basin forming and reseeding of range-land | T 202 |
| Fruit detachment, Vibration characteristics of trellis-trained apple trees with reference to | T 20 |
| Fruit juices, Spin processing of tropical | 154 |
| Fruit sorting by delayed light emission | T 18 |
| Fruits and vegetables during transient cooling, Mass-average temperature of | T 249 |
| Fruits and vegetables under fast rates of loading, Mechanical behavior of selected | T 324 |
| Fruits as related to in-transient injury, Vibrating characteristics of | T 241 |
| Fruits packed by volume-filling and hand-placing methods, Engineering and quality aspects of deciduous | T 584 |
| Fuels and lubricants for farm equipment: their problems and progress | 276 |
| G | |
| Garrett, R. E. | |
| Aerodynamic drag of farm grains | T 49 |
| Garton, J. E. | |
| Spatially varied flow in an irrigation distribution ditch | T 530 |
| Gas-constant for use in storage and respiration studies: the "pound-molecular volume", A convenient | T 292 |
| Gas-plasma radiation on seeds, Some effects of | T 319 |
| Gases and odors in confinement swine buildings | T 118 |
| Gentry, J. P. | |
| Vibrating characteristics of fruits as related to in-transient injury | T 241 |
| Engineering and quality aspects of deciduous fruits packed by volume-filling and hand-placing methods | T 584 |
| Ghosh, Biswa N. | |
| Laboratory drier for fruits and vegetables | 28 |
| Gibson, A. N. | |
| Agricultural management problems in India | 446 |
| Gibson, R. C. | |
| Vibrating characteristics of fruits as related to in-transient injury | T 241 |
| Gilbertson, C. B. | |
| Effect of cycling moisture content on lateral load-carrying capacity of three-member nailed wood joints | T 314 |
| Gillet, Paul T. | |
| Multiple purpose plan for river-bottom farming | 384 |
| Ginning research, Relation of physical properties of cotton to commerce and | T 488 |
| Givens, R. L. | |
| Height of artificial shades for cattle in the southeast | T 312 |
| Glass bead-glycerol models for study of unsteady-flow drainage problems | T 379 |
| Glass, L. J. | |
| Surface irrigation water-distribution efficiency related to soil infiltration | T 76 |
| Glover, Robert E. | |
| Application of the Dupuit-Forchheimer assumptions in groundwater hydraulics | T 510 |
| Goering, C. E. | |
| Determining field surfaces in relation to tractor dynamics | T 550 |
| Golueke, C. G. | |
| Producing algae in lagoons | T 122 |
| Gopher bait, Mechanical application of | T 335 |
| Goss, J. R. | |
| Determining aerodynamic drag and terminal velocities of agronomic seeds in free fall | T 553 |
| Grading tobacco, Light sources for | T 452 |
| Grain bins, Mathematical analysis of lateral pressures in flat-bottomed, deep | T 358 |
| Grain cooling by cross-flow aeration in tall structures, An analog of | T 56 |
| Grain-drying tunnels, Air-flow and pressure patterns for perforated | T 538 |
| Granular applicators, Measuring distribution patterns of | T 423 |
| Granular materials, Characteristics of a tapered-screw conveyor for mixing | T 528 |
| Greenhouses, design, Plastic | 322 |
| Greenhouses, Predicting temperatures in ventilated | T 445 |
| Griffin, A. C. | |
| Relation of physical properties of cotton to commerce and ginning research | T 488 |
| Groundwater hydraulics, Application of the Dupuit-Forchheimer assumptions on | T 508 |
| Groundwater hydraulics, History of the Dupuit-Forchheimer assumptions of | T 508 |
| Groundwater mound, Development and dissipation of a | T 103 |
| Group insurance program for ASAE members | 208 |
| Growing market for lawn and garden tractors | 436 |
| Growth chambers, Studies of crop response to drainage: | T 94 |
| Grub, W. | |
| Dust problems in poultry environments | T 338 |
| Guest, R. W. | |
| Improving the processing quality of mechanically harvested apples | T 277 |
| Gunkel, H. W. | |
| Measuring distribution patterns of granular applicators | T 423 |
| Gunlogson, G. B. | |
| Why let the countryside become a human wasteland? | 677 |
| Gustin, W. E. | |
| The JD wheel skidder | 634 |
| H | |
| Hahn, LeRoy | |
| Inspired-air cooling for lactating dairy cows in a hot environment | T 332 |
| Halse, H. R. | |
| Evaluation of mulches for water-erosion control | T 438 |
| Hall, C. W. | |
| Thermal properties of grain | T 33 |
| Mechanical properties of pea beans under impact loading | T 191 |
| Importance of boundary conditions in solving the diffusion equation for dry-ing forage wafers | T 382 |
| Relative humidity changes that cause brown rice to crack | T 396 |
| An equation and dimensionless parameters describing infrared vibration dry-ing | T 520 |
| Equilibrium moisture of dry milk at high temperatures | T 535 |
| Hamilton, Louis | |
| Basin forming and reseeding of range-land | T 202 |
| Hammerle, J. R. | |
| Mechanical behavior of selected fruits and vegetables under fast rates of loading | T 324 |
| Handling stalk-cut tobacco on portable frames | 686 |
| Handling, storing, drying wafered hay in humid areas | T 256 |
| Hansen, E. L. | |
| Building appraisal - a guide to obsolescence | 448 |
| Gases and odors in confinement swine buildings | T 118 |
| Hansen, R. C. | |
| Energy-size reduction relations in agricultural grain comminution | T 230 |
| Harmond, J. E. | |
| Physical properties of seed | T 30 |
| Harris, W. L. | |
| Design data for pneumatic conveying of chopped forage | T 194 |
| Pneumatic conveying of chopped forage | T 196 |
| Harshbarger, K. E. | |
| Photographic technique for recording animal-feeding data | T 562 |
| Hart, S. A. | |
| Waste disposal - pre-eminent challenge to agricultural engineers | 200 |
| Producing algae in lagoons | T 122 |
| Our wastrel world | 684 |
| Hart, Wm. E. | |
| Analytical design of sprinkler systems | T 83 |
| Harvest system, A working flail hay | 678 |
| Harvesting the open sea | 558 |
| Hassler, F. J. | |
| Certain dielectric and physical properties of intact tobacco leaves | T 524 |
| Hay harvest system, A working flail | 678 |
| Hay in humid areas, Handling, storing, dry-ing wafered | T 256 |
| Hazen, T. E. | |
| Movement of shelled corn on an oscillat-ing conveyor | T 582 |
| Header-height control for grain crops, Automatic | T 284 |
| Headgate metering and turnout structures, Collapsible tubing for | 506 |
| Headley, V. E. | |
| An equation and dimensionless parameters describing infrared vibration dry-ing | T 520 |
| Heat and moisture loss and growth of swine, Effects of increased air velocities on | T 167 |
| Heat gain but increase cold sky radiation, Shading devices to limit solar | T 470 |
| Hedrick, T. I. | |
| Equilibrium moisture of dry milk at high temperatures | T 535 |
| Hegedus, Ervin | |
| Pressure distribution under rigid wheels | T 305 |
| Height of artificial shades for cattle in the southeast | T 312 |
| Helman, H., Jr. | |
| Effects of increased air velocities on heat and moisture loss and growth of swine | T 167 |
| Helling, Jim D. | |
| Circular poultry house | 268 |
| Heldman, D. R. | |
| Equilibrium moisture of dry milk at high temperatures | T 535 |
| Hellwig, Robert E. | |
| Effect of physical form on drying rate of coastal bermudagrass | T 253 |
| Henderson, G. E. | |
| Agricultural engineering-engineering and technology considerations | 139 |
| Henderson, S. M. | |
| Air-flow and pressure patterns for per-forated grain-drying tunnels | T 538 |
| Hendrick, James G. | |
| Off-the-road locomotion | 320 |
| Henson, W. H., Jr. | |
| Colorimetric evaluation of burley tobacco curing cycles | T 417 |
| Certain dielectric and physical properties of intact tobacco leaves | T 524 |
| Hermansmeier, L. F. | |
| A review of rainfall simulators | T 67 |
| Drainage characteristics of Fargo-Bearden soils | T 371 |
| High-strength bolts, New in | 318 |
| Highway right-of-way maintenance spraying | T 384 |
| Hiler, E. A. | |
| Electrokinetic removal of colloids from suspension | T 79 |
| Hinkle, C. N. | |
| Effect of cycling moisture content on lateral load-carrying capacity of three-member nailed wood joints | T 314 |
| History of the Dupuit-Forchheimer assumptions on groundwater hydraulics | T 508 |
| Hobgood, Price | |
| Profession of the future | 379 |
| Hoff, D. J. | |
| Narrow-row corn: yield potential and cur-rent developments | T 322 |
| Hoffman, R. A. | |
| Control systems for self-actuated cattle sprayers | 384 |
| Hog environments, Effective temperatures for evaluating or designing | T 163 |
| Hog-manure disposal, Developments in | T 107 |
| Hohner, G. A. | |
| An analog of grain cooling by cross-flow aeration in tall structures | T 56 |
| Holdren, R. D. | |
| Handling, storing, drying wafered hay in humid areas | T 256 |
| Holladay, J. H. | |
| To weigh dry soil in sludge - fast | 451 |
| Soil erodibility factors for selected soils in Georgia and South Carolina | T 393 |
| Homeothermic regulation in young pigs, Development of | T 481 |
| Homeothermic regulation quantitatively anal-ogized to a closed-loop system | T 476 |
| Hore, F. R. | |
| Vertical and horizontal mulch on Haldiman clay | T 592 |
| Hornworm moths, Spectral response of | T 183 |
| Housing, A blueprint for dairy loose | 504 |
| How a utility helped promote automatic feed handling | 633 |
| How good are blind rivets? | 624 |
| How good are farm tractor transmissions? | 380 |
| How mechanical stackers stack up | 626 |
| How radioactive piston rings measure en-gine wear | 554 |
| How to select a drainage pump | 630 |
| Howard, W. E. | |
| Mechanical application of gopher bait | T 335 |
| Howe, Everett D. | |
| Fresh water from the salty sea | 144 |
| Howe, O. W. | |
| Performance and design of border checks on a sandy soil | T 141 |
| Howes, J. R. | |
| Dust problems in poultry environments | T 338 |
| Hoyle, B. J. | |
| Effect of methods of storage on subse-quent growth and yield of seed po-tatoes | T 138 |
| Humidity changes that cause brown rice to crack, Relative | T 396 |
| Hunt, Donnell R. | |
| Is there a need for a curriculum in agricultural mechanization? | 621 |
| Hunter, J. H. | |
| Control of potato-storage diseases as af-fected by air flow, temperature and rel-ative humidity | T 578 |
| Hydraulic studies of drainage hitches under tidal influence | T 460 |
| Hydroponically grown oats as livestock feed | 218 |

I

- Ignition contact life, Statistical investigation of T 586
 Importance of boundary conditions in solving the diffusion equation for drying forge wafers T 382
 Importance of measuring soil moisture changes in nonweighing evapotranspiration tanks T 365
 Improving the processing quality of mechanically harvested apples T 277
 Increased air velocities on heat and moisture loss and growth of swine, Effects of T 167
 Inertia-type tree shakers, Dynamics and design criteria of T 12
 Influence of evaporation on water-table recession T 275
 Influence of gasoline and propane fuels on spark-ignition engine wear rates during low-temperature operation T 441
 Influence of harvesting and process variables on bulk curing of bright leaf tobacco T 354
 Infrared, Spectral reflectance and transmittance properties of grain in the visible and near T 598
 Infrared drying of shelled corn T 457
 Infrared vibration drying, An equation and dimensionless parameters describing T 520
 Inspired-air cooling for lactating dairy cows in a hot environment T 332
INSTRUMENT NEWS
 Laboratory drier for fruits and vegetables 68
 Timing device for spray nozzle calibration 91
 Determining modulus of elasticity in agricultural products by loaded plungers 274
 Motor-driven flowmeter 334
 Event markers for use in field test measurement of power 572
 Transducer for surface force measurement 688
 Insulation of bovine hair coats as related to physical hair characteristics, Thermal T 377
 Insurance program for ASAE members, Group 208
 Interrelation of physical and chemical properties in flow of colloidal suspensions in porous media T 259
 Investigating flow into tile at joints 494
 Ionization in the environment of farm animals, Air T 15
 Iowa state professors take a look at matriculation progression and employment status of agricultural engineering graduates 442
 Irrigation distribution ditch, Spatially varied flow in an T 530
 Irrigation water-distribution efficiency related to soil infiltration, Surface T 76
 Irrigation water on the farm, Managing T 433
 Is there a need for a curriculum in agricultural mechanization? 493
 Is there a need for a curriculum in agricultural mechanization? 621
Isaacson, J. D.
 Mathematical analysis of lateral pressures in flat-bottomed, deep grain bins T 358
Isler, D. A.
 Effect of mechanical factors on atomization of oil-base aerial sprays T 590

J

- Jacob, F. C.**
 Fruit sorting by delayed light emission T 18
 Starling electrocution T 581
James, P. E.
 An evaluation of radioisotope and fluorescent tracer techniques T 199
Jamison, Warren
 Tractor-tire ballast compared T 594
 JD wheel skidder, The 634
Jedele, D. G.
 Swine production (in cold climates) 83
Jeffrey, E. A.
 Treatment of livestock waste - a laboratory study T 113
Jenkins, G. W.
 Infrared drying of shelled corn T 457
Jenks, B. L.
 Vibration characteristics of trellis-trained apple trees with reference to fruit detachment T 20
Jensen, Louis A.
 Physical properties of seed T 30
Jensen, M. E.
 Performance and design of border checks on a sandy soil T 141
Johnson, Curtis A.
 Disposal of dairy manure T 110
 Liquid handling of poultry manure T 124
Johnson, H. D.
 Inspired-air cooling for lactating dairy cows in a hot environment T 332
 Thermal insulation of bovine hair coats as related to physical hair characteristics T 377
Johnson, H. P.
 Investigating flow into tile at joints 494
 Glass bead-glycerol models for study of unsteady-flow drainage problems T 379
Johnson, William H.
 Influence of harvesting and process variables on bulk curing of bright leaf tobacco T 354

K

- Johnston, William R.**
 Tile drainage performance compared to theoretical predictions T 548
Jones, Elmer E., Jr.
 Measuring farmstead water use 204
Jordan, K. A.
 Periodic analog for ventilation design T 223
Junnulis, William A.
 Capacitor motors for high-torque farm jobs 438

K

- Kaminski, T. L.**
 Automatic header-height control for grain crops T 284
Karkaus, E. A.
 Effect of ground speed and type of fertilizer on metering accuracy T 491
Kazarian, E. A.
 Thermal properties of grain T 33
Keck, Howard
 Determining aerodynamic drag and terminal velocities of agronomic seeds in free fall T 553
Keller, Jack
 Selection of economical pipe sizes for sprinkler irrigation systems T 186
Kelly, C. F.
 Beef production (in hot climates) 80
 Effects of increased air velocities on heat and moisture loss and growth of swine T 167
Kelly, R. F.
 Temperature - controlled swine housing: weaning to market T 545
Kemper, R. A.
 Mechanical application of gopher bait T 335
Kibler, H. H.
 Inspired-air cooling for lactating dairy cows in a hot environment T 332
Kite, G. D.
 A blueprint for dairy loose housing 504
Kjeldahl, W. L.
 Air-flow resistance of hay pellets and waters T 560
Kleis, Robert W.
 Mechanical handling of chopped hay in storage 452
Korayem, A. Y.
 Mechanical energy balance for a volume element of soil during strain T 426
Koren, H. C.
 Time-and-motion study of underride and overtire sprinkler-irrigation systems T 502
Krishnam, P. V.
 Spacing of buildings for natural ventilation T 208
Kruger, W. E.
 Unsteady flow of water over a porous bed having constant infiltration T 60
Kucera, E.
 Effect of methods of storage on subsequent growth and yield of seed potatoes T 138
Kucera, Henry L.
 Tractor-tire ballast compared T 594
Kuehner, D. O.
 Effect of track shoe design on traction T 244
Kunze, O. R.
 Relative humidity changes that cause brown rice to crack T 396

L

- LaBelle, R. L.**
 Improving the processing quality of mechanically harvested apples T 277
 Laboratory drier for fruits and vegetables 28
 Lagoons, Producing algae in T 122
 Lagoons used for cattle, Chemical and biological reactions from T 449
Lal, R.
 Behavior of threshed materials in a vertical wind tunnel T 411
Laliberte, G. E.
 Influence of evaporation on water-table recession T 275
Lam, J. J.
 Spectral response of hornworm moths T 183
Lamoura, L. H.
 Determining selected bio-engineering properties of olives
 Part I. Ease of detachment: linear motion T 271
 Part II. Ease of detachment: reciprocating motion T 273
Lamp, Benson J.
 Growing market for lawn and garden tractors 436
 Lateral pressures in flat-bottomed, deep grain bins, Mechanical analysis of T 358
 Latin America tomorrow 317
Lauritzen, C. W.
 Collapsible tubing for headgate metering and turnout structures 506
Lee, J. H. A.
 Effect of ground speed and type of fertilizer on metering accuracy T 491
Lehner, Richard
 Chemical and biological reactions from lagoons used for cattle T 449
LePorti, Wayne A.
 Event markers for use in field test measurements of power 572
Letey, J.
 Tile drainage performance compared to theoretical predictions T 548

M

- Machine efficiencies, Effect of land slope and terrace systems on T 235
 Managing irrigation water on the farm T 433
 Manure disposal, Developments in hog T 107
 Manure, Disposal of dairy T 110
 Manure disposal, Poultry T 105
 Manure, Liquid handling of poultry T 124
 Mapping soils according to total available moisture capacity through aerial photograph interpretation T 301
 Mariculture - its recent development and its future 73
 Markers for use in field test measurements of power, Event 572
Markwardt, E. D.
 Improving the processing quality of mechanically harvested apples 277
Marshall, McNeill
 Plastic greenhouse design for lower costs and good plant environment 322
 Temperature-controlled swine housing: weaning to market T 545
Martin, D. E.
 Motor-driven flow meter 334
Mason, J. P., Jr.
 Homeothermic regulation quantitatively analogized to a closed-loop system T 476
 Mass-average temperature of fruits and vegetables during transient cooling T 249
Massey, P. H. Jr.
 Plastic greenhouse design for lower costs and good plant environment 322
Massei, D. R.
 Spectral reflectance and transmittance properties of grain in the visible and near infrared T 598
 Mathematical analysis of lateral pressures in flat-bottomed, deep grain bins T 358
Matthews, E. J.
 Coordinated development for new cotton production systems T 568

| | |
|--|-------|
| Matthews, Robert C. | |
| Farm planning and the agricultural engineer | 500 |
| McColly, H. F. | |
| Agricultural mechanization in east Asia | 26 |
| McCoy, Elizabeth | |
| Chemical and biological reactions from lagoons used for cattle | T 449 |
| McFarland, T. David | |
| Survey shows need for uniform smv identification | 622 |
| McFate, Kenneth L. | |
| Hydroponically grown oats as livestock feed | 218 |
| McGill, Ralph | |
| New breed of revolutionists | 435 |
| McKenzie, B. A. | |
| Silage feed center with complete weight control | T 281 |
| Measure water use for a given area, To | 683 |
| Measuring distribution patterns of granular applicators | T 423 |
| Measuring farmstead water use | 204 |
| Measuring kill rates of chlor-dechlor systems | 560 |
| Mech, Stephen J. | |
| Limitations of simulated rainfall as a research tool | T 66 |
| Mechanical application of gopher bait | T 335 |
| Mechanical behavior of selected fruits and vegetables under fast rates of loading | T 324 |
| Mechanical coffee harvesting | |
| Part A | T 400 |
| Part B | T 403 |
| Mechanical energy balance for a volume element of soil during strain | T 426 |
| Mechanical handling of chopped hay in storage | 452 |
| Mechanical harvesting of cane fruits | T 170 |
| Mechanical harvesting of cantaloupes | 74 |
| Mechanical properties of pea beans under impact loading | T 191 |
| Mechanical properties of tobacco stalks | T 361 |
| Mechanical stackers stack up, How | 626 |
| Mechanically harvested apples, Improving the processing quality of | T 277 |
| Mechanics of air cleaning | T 342 |
| Mechanics of soil as influenced by model tillage tools | T 1 |
| Mechanics of soil erosion by rainfall and overland flow | T 572 |
| Mechanization in east Asia, Agricultural | 26 |
| Mechanization? Is there a need for a curriculum in agricultural | 493 |
| Mechanization? Is there a need for a curriculum in agricultural | 621 |
| Mederski, H. J. | |
| Narrow-row corn: yield potential and current developments | T 322 |
| Meneer, J. R. | |
| Handling, storing, drying wafered hay in humid areas | T 256 |
| Metering accuracy, Effect of ground speed and type of fertilizer on | T 491 |
| Methods of air filtration and protection of air-tempering equipment | T 345 |
| Meyer, L. Donald | |
| Simulation of rainfall for soil erosion research | T 63 |
| Simulation of rainfall and soils for laboratory research | T 73 |
| Mechanics of soil erosion by rainfall and overland flow | T 572 |
| Milk at high temperatures, Equilibrium moisture of dry | T 535 |
| Miller, C. R. | |
| Advances in sedimentation relevant to watershed problems | T 146 |
| Sediment sampling: instrumentation and techniques | T 267 |
| Mink, A. L. | |
| Spatially varied flow in an irrigation distribution ditch | T 530 |
| Mitchell, F. G. | |
| Engineering and quality aspects of deciduous fruits packed by volume-filling and hand-placing methods | T 584 |
| Mitchell, J. K. | |
| Effect of land slope and terrace systems on machine efficiencies | T 235 |
| Mixing animal feed products, Problems in | T 464 |
| Modulus of elasticity in agricultural products by loaded plungers, Determining | 274 |
| Mohsenin, N. N. | |
| Vibration characteristics of trellis-trained apple trees with reference to fruit detachment | T 20 |
| Physical properties of agricultural products | T 25 |
| Mechanical behavior of selected fruits and vegetables under fast rates of loading | T 324 |
| Moisture content on lateral load-carrying capacity of three-member nailed wood joints, Effect of cycling | T 314 |
| Moisture control in structural components of controlled-atmosphere storages, A balancing technique for | T 505 |
| Moisture meter calibration, Neutron | 326 |
| Moldenhauer, W. C. | |
| Procedure for studying soil characteristics using disturbed samples and simulated rainfall | T 74 |
| Monke, E. J. | |
| Mechanics of soil erosion by rainfall and overland flow | T 572 |
| Monomolecular films, Economics of water conservation with | T 127 |
| Moore, V. P. | |
| Relation of physical properties of cotton to commerce and ginning research | T 488 |
| Moreng, Robert E. | |
| Circular poultry house | 268 |
| Morris, W. H. M. | |
| When to buy a new tractor | 680 |
| Morlin, D. E. | |
| Motor-driven flowmeter | 334 |
| Mosquito potential in flood-detention reservoirs | T 161 |
| Motor-driven flowmeter | 334 |
| Motors for high-torque farm jobs, Capacitor | 438 |
| Movement of shelled corn on an oscillating conveyor | T 582 |
| Muckel, Dean C. | |
| Importance of measuring soil moisture changes in nonweighing evapotranspiration tanks | T 365 |
| Mulch on Haldimand clay, Vertical and horizontal | T 592 |
| Mulches for water-erosion control, Evaluation of | T 438 |
| Mulches, Thermal environments under synthetic strip | T 374 |
| Multiple purpose plan for river-bottom farming | 388 |
| Mutchler, C. K. | |
| A review of rainfall simulators | T 67 |
| N | |
| Narrow-row corn: yield potential and current developments | T 322 |
| NAS engineering and industrial research, Report on | 203 |
| Nathan, Kurt | |
| Hydraulic studies of drainage ditches under tidal influence | T 460 |
| National Academy of Engineering formed | 77 |
| Natural resources coordinator — a modern concept in resources management | 23 |
| NECROLOGIES | |
| Lloyd W. Hurlbut | 36 |
| Joseph W. Gibbs | 36 |
| Seward H. Foote, Jr. | 98 |
| Kenneth V. Battles | 225 |
| George E. Spencer | 225 |
| Ivan W. Bigelow | 343 |
| Allen C. Hardison | 457 |
| William A. Boss | 477 |
| Leon R. Clausen | 513 |
| Willard A. Cutler, Sr. | 583 |
| Roger D. Marsden | 583 |
| Need for study of effects of air contaminants on equipment and animal performance | T 353 |
| Nelson, G. L. | |
| Predicting performance of cross-flow systems for drying grain in storage in deep cylindrical bins | T 288 |
| Desorption isotherms for wheat | T 293 |
| Swine production (in hot climates) | 82 |
| Nelson, S. O. | |
| Dielectric properties of grain and seed in the 1 to 50-mc range | T 38 |
| Neubauer, L. W. | |
| Effect of methods of storage on subsequent growth and yield of seed potatoes | T 138 |
| Relation of heavy chemical treatment to durability of wood in ground contact | T 238 |
| Shading devices to limit solar heat grain but increase cold sky radiation | T 470 |
| Neutron moisture meter calibration for use in saline soils | 326 |
| New breed of revolutionists | 435 |
| New in high-strength bolts | 318 |
| Nielsen, D. R. | |
| Neutron moisture meter calibration for use in saline soils | 326 |
| Norris, K. H. | |
| Spectral reflectance and transmittance properties of grain in the visible and near infrared | T 598 |
| Notestine, J. C. | |
| Dust problems in livestock environments | T 340 |
| O | |
| Oban, H. C. | |
| Cooling systems for self-propelled combines | 499 |
| O'Brien, Michael | |
| Mechanical harvesting of cantaloupes | 74 |
| Vibrating characteristics of fruits as related to in-transit injury | T 241 |
| Characteristics of a tapered-screw conveyor for mixing granular materials | T 528 |
| Occurrence of soil moisture deficiency and excess, Procedure for estimating | T 219 |
| Odors in confinement swine buildings, Gases and | T 118 |
| Off-the-road locomotion research | 320 |
| Ogrosky, H. O. | |
| Electronic computers join SCS team in planning for watershed protection | 272 |
| Oil seals and lubricants | 264 |
| Olives, Determining selected bio-engineering properties of | T 271 |
| Olson, E. A. | |
| Beef production (in cold climates) | 81 |
| Oliver, E. F. | |
| Photographic technique for recording animal-feeding data | T 562 |
| Open channels, Rating submerged gates for flow measurement in | T 101 |
| Operational characteristics of propane irrigation engines | T 431 |
| Oscillating conveyor, Movement of shelled corn on an | T 582 |
| Ostrander, Charles E. | |
| Poultry manure disposal | T 105 |
| Our wastrel world | 684 |
| P | |
| Palmer, Robert S. | |
| Waterdrop impact forces | T 69 |
| Parker, B. F. | |
| Poultry (in hot climates) | 83 |
| Parks, R. R. | |
| Dairy production (in hot climates) | 78 |
| Particle-size distributions of soil erosion from unit source areas, Rates and | T 309 |
| Pea beans under impact loading, Mechanical properties of | T 191 |
| Pearl, R. M. | |
| Silage feed center with complete weight control | T 281 |
| Pellet-mill performance with coastal bermudagrass, Factors affecting | T 532 |
| Performance and design of border checks on a sandy soil | T 141 |
| Performance evaluation of an all-plywood c-a storage, Long-term | T 443 |
| Periodic analog for ventilation design | T 223 |
| Perry, J. S. | |
| Mechanical properties of pea beans under impact loading | T 191 |
| Long term performance evaluation of an all-plywood c-a storage | T 443 |
| Pettibone, C. Alan | |
| Some effects of gas-plasma radiation on seeds | T 319 |
| Pfost, D. L. | |
| Dust problems in livestock environments | T 340 |
| Photographic spray-sampling apparatus and technique, A | T 493 |
| Photographic technique for recording animal-feeding data | T 562 |
| Physical form on drying rate of coastal bermudagrass, Effect of | T 253 |
| Physical properties of agricultural products | T 25 |
| Physical properties of seed | T 30 |
| Pichon, J. D. | |
| Propagating audio-frequency magnetic fields through soil | T 264 |
| Pillsbury, Arthur F. | |
| Tile drainage performance compared to theoretical predictions | T 548 |
| Pipe sizes for sprinkler irrigation systems, Selection of economical | T 186 |
| Piston rings measure engine wear, How radioactive | 554 |
| Planning and the agricultural engineer, Farm | 500 |
| Plastic greenhouse design for lower costs and good plant environment | 322 |
| Plastics, Storing and conveying water with | 88 |
| Pneumatic conveying of chopped forage, Design for | T 194 |
| Porterfield, J. G. | |
| A photographic spray-sampling apparatus and technique | T 493 |
| Pos, J. | |
| Adapting a fiberglass-reinforced foam-insulated sandwich panel to a rigid frame design | 20 |
| Determining static coefficients of friction of grains on structural surfaces | T 53 |
| Potato-storage diseases as affected by air flow, temperature and relative humidity, Control of | T 578 |
| Potatoes, Effect of methods of storage on subsequent growth and yield of seed | T 138 |
| Potatoes, Primary tillage for | T 246 |
| Poultry house, Circular | 268 |
| Poultry (in cold climates) | 84 |
| Poultry manure disposal | T 105 |
| Poultry manure, Liquid handling of | T 124 |
| Poultry production, Effect of various degrees of environmental control on | T 204 |
| Power, Event markers for use in field test measurements of | 572 |
| Practical farrowing facilities for secondary farm enterprise | 328 |
| Precision tillage for cotton production | T 177 |
| Predicting performance of cross-flow systems for drying grain in storage in deep cylindrical bins | T 288 |
| Predicting temperatures in ventilated greenhouses | T 445 |
| Pressure distribution under rigid wheels | T 305 |
| Pressure patterns for perforated grain-drying tunnels, Air-flow and | T 538 |
| Price, D. R. | |
| Measuring distribution patterns of granular applicators | T 423 |
| Primary tillage for potatoes | T 246 |
| Problems in mixing animal feed products | T 464 |
| Procedure for estimating occurrence of soil moisture deficiency and excess | T 219 |
| Procedure for studying soil characteristics using disturbed samples and simulated rainfall | T 562 |
| Program, The | 74 |
| Producing algae in lagoons | T 122 |
| Profession of the future | 379 |

| | |
|--|-------|
| Propagating audio-frequency magnetic fields through soil | T 264 |
| Propane irrigation engines, Operational characteristics of | T 431 |
| Pumps, Axial thrust in vertical turbine | 153 |
| Pumps: kingpins of rural water-supply systems | 25 |
| R | |
| Radiation on seeds, Some effects of gas-plasma | T 319 |
| Radioisotope and fluorescent tractor techniques, An evaluation of | T 199 |
| Rainfall for soil erosion research, Simulation of | T 63 |
| Rainfall over the northeastern United States, Seasonal variation in extreme | T 180 |
| Rainfall simulator, Rotating-boom | T 71 |
| Rainfall simulators, A review of | T 67 |
| Rapp, E. | |
| Influence of evaporation on water-table recession | T 275 |
| Rates and particle-size distribution of soil erosion from unit source areas | T 309 |
| Rating submerged gates for flow measurement in open channels | T 101 |
| Ray, Eugene E. | |
| Floodwater retarding structures | 150 |
| Radioactive piston rings measure engine wear, How | 554 |
| Recharge and seepage, Limitation of the Dupuit-Forchheimer assumption in | T 512 |
| Recurrence of drought in the great plains during the last 700 years | 85 |
| Reed, I. F. | |
| Effect of track shoe design on traction | T 244 |
| Reeves, Richard E. | |
| Pumps: kingpins of rural water-supply systems | 25 |
| Regulation in young pigs, Development of homeothermic | T 481 |
| Regulation quantitatively analogized to a closed-loop system, Homeothermic | T 476 |
| Relation of compaction and other soil properties to erosion resistance of soils | T 419 |
| Relation of heavy chemical treatment to durability of wood in ground contact | T 238 |
| Relation of physical properties of cotton to commerce and ginning research | T 488 |
| Relative humidity changes that cause brown rice to crack | T 396 |
| Renf, Charles E. | |
| Measuring kill rates of chlor-dechlor systems | 560 |
| Report on NAS engineering and industrial research | 203 |
| Research, Report on NAS engineering and industrial | 203 |
| Reseeding of rangeland, Basin forming and | T 202 |
| Residue on wind erosion control, Effect of kind, amount, and placement of | T 327 |
| Resources coordinator — a modern concept in resources management, Natural | 23 |
| Retarding structures, Floodwater | 150 |
| Review of rainfall simulators, A | T 67 |
| Revolutionists, New Breed of | 435 |
| Reynolds, Wm. N. | |
| Analytical design of sprinkler systems | T 83 |
| Rice land in water, Leveling | T 517 |
| Ricketts, Ralph | |
| Treatment of livestock waste — a laboratory study | T 113 |
| Rigid frame design, Adapting a fiberglass-reinforced foam-insulated sandwich panel to a | 20 |
| Ritchie, R. M. | |
| Poultry (in hot climates) | 83 |
| Ritchie, Wayne | |
| Farm planning and the agricultural engineer | 500 |
| River-bottom farming, Multiple-purpose plan for | 388 |
| Rivets?, How good are blind | 624 |
| Rogers, J. S. | |
| Soil erodibility factors for selected soils in Georgia and South Carolina | T 393 |
| Rokeye, T. R. C. | |
| Effect of various degrees of environmental control on poultry production | T 204 |
| Roller, W. L. | |
| Need for study of effects of air contaminants on equipment and animal performance | T 353 |
| Rollo, C. A. | |
| Dust problems in poultry environments | T 338 |
| Roman, R. J. | |
| Fruit sorting by delayed light emission | T 18 |
| Ross, Edward | |
| Spir processing for tropical fruit juices | 154 |
| Rotating-boom rainfall simulator | T 71 |
| Roth, F. W. | |
| Beef production (in cold climates) | 81 |
| Roth, L. O. | |
| A photographic spray-sampling apparatus and technique | T 493 |
| Rowe, Richard J. | |
| A working flail hay harvest system | 678 |
| S | |
| Salty sea, Fresh water from the | 144 |
| Sandoval, F. M. | |
| Neutron moisture meter calibration for use in saline soils | 326 |
| Schaefer, Milner B. | |
| Harvesting the open sea | 558 |
| Schafer, R. L. | |
| Timing device for spray nozzle calibration | 91 |
| Scheritz, C. E. | |
| Movement of shelled corn on an oscillating conveyor | T 582 |
| Schiff, Leonard | |
| Soil and stratigraphic considerations in a study of drainage by wells | T 558 |
| Schuring, D. | |
| Feasibility of model study in earthworking equipment | T 298 |
| Schwab, G. O. | |
| Electrokinetic removal of colloids from suspension | T 79 |
| Sea, Harvesting the open | 558 |
| Seals and lubricants, Oil | 264 |
| Seasonal variation in extreme rainfall over the northeastern United States | T 180 |
| Sediment sampling: instrumentation and techniques | T 267 |
| Sedimentation relevant to watershed problems, Advances in | T 146 |
| Seed potatoes, Effect of methods of storage on subsequent growth and yield of | T 138 |
| Seginer, Ido | |
| Tangential velocity of sprinkler drops | T 90 |
| Seiple, J. W. | |
| What about underwater traction? | 391 |
| Selection of economical pipe sizes for sprinkler irrigation systems | T 186 |
| Self-unloading bins for metering grain, hay, and silage, Flat-bottom | T 86 |
| Shades for cattle in the southeast, Height of artificial | T 312 |
| Shading devices to limit solar heat gain, but increase cold sky radiation | T 470 |
| Shanklin, Milton D. | |
| Inspired-air cooling for lactating dairy cows in a hot environment | T 332 |
| Thermal insulation of bovine hair coats as related to physical hair characteristics | T 377 |
| Homeothermic regulation quantitatively analogized to a closed-loop system | T 476 |
| Development of homeothermic regulation in young pigs | T 481 |
| Shear and flexural characteristics of reinforced concrete face-expanded polystyrene core structural panels | T 565 |
| Shear strength using artificial soils, Comparison of methods of measuring soil | T 153 |
| Shelled corn on an oscillating conveyor, Movement of | T 582 |
| Sheppard, C. C. | |
| Poultry (in cold climates) | 84 |
| Shove, G. C. | |
| Photographic technique for recording animal-feeding data | T 562 |
| Siddoway, F. H. | |
| Effect of kind, amount, and placement of residue on wind erosion control | T 327 |
| Siemens, J. C. | |
| Mechanics of soil as influenced by model tillage tools | T 1 |
| Silage feed center with complete weight control | T 281 |
| Silverton, P. L. | |
| Economics of water conservation with monomolecular films | T 127 |
| Simple solar radiometer, A | T 542 |
| Simulated rainfall as a research tool, Limitations of | T 66 |
| Simulated rainfall, Soil particles and aggregates transported in runoff from | T 437 |
| Simulation of rainfall and soils for laboratory research | T 73 |
| Simulation of rainfall for soil erosion research | T 63 |
| Simultaneous flow of liquids and gases through porous media, Derivation of differential equation governing | T 210 |
| Sling, P. B. | |
| Hydraulic studies of drainage ditches under tidal influence | T 460 |
| Skidder, The JD wheel | 634 |
| Skinner, T. C. | |
| Dairy production (in hot climates) | 78 |
| Skogboe, Gaylord V. | |
| Rating submerged gates for flow measurement in open channels | T 101 |
| Slothrop, H. J. | |
| Cooling systems for self-propelled combines | 499 |
| Smerdon, E. T. | |
| Surface irrigation water-distribution efficiency related to soil infiltration | T 76 |
| Water resources research institutes in each state | 217 |
| Relation of compaction and other soil properties to erosion resistance of soils | T 419 |
| Smith, E. M. | |
| Handling stalk-cut tobacco on portable frames | 686 |
| Smith, R. E. | |
| Mass-average temperature of fruits and vegetables during transient cooling | T 249 |
| Smith, R. M. | |
| Effect of various degrees of environmental control on poultry production | T 204 |
| SMV identification, Survey shows need for uniform | 622 |
| Soil and stratigraphic considerations in a study of drainage by wells | T 558 |
| Soil as influenced by model tillage tools, Mechanics of | T 1 |
| Soil erodibility factors for selected soils in Georgia and South Carolina | T 393 |
| Soil erosion by rainfall and overland flow, Mechanics of | T 572 |
| Soil erosion from unit source areas, Rates and particle-size distributions of | T 309 |
| Soil erosion research, Simulation of rainfall for | T 63 |
| Soil moisture changes in nonweighing evapotranspiration tanks, Importance of measuring | T 365 |
| Soil particles and aggregates transported in runoff from simulated rainfall | T 437 |
| Soil shear strength using artificial soils, Comparison of methods of measuring | T 153 |
| Solar radiometer, A simple | T 542 |
| Some effects of gas-plasma radiation on seeds | T 319 |
| Sommer, N. F. | |
| Engineering and quality aspects of deciduous fruits packed by volume-filling and hand-placing methods | T 584 |
| Spacing of buildings for natural ventilation | T 208 |
| Spatially varied flow in an irrigation distribution ditch | T 530 |
| Spectrol reflectance and transmittance properties of grain in the visible and near infrared | T 598 |
| Spectral response of hornworm moths | T 183 |
| Spin processing for tropical fruit juices | 154 |
| Splinter, W. E. | |
| Mechanical properties of tobacco stalks | T 361 |
| Spray nozzle calibration, Timing device for | 91 |
| Spray-sampling apparatus and technique, A photographic | T 493 |
| Sprayers, Control systems for self-actuated cattle | 384 |
| Spraying, Highway right-of-way maintenance | T 384 |
| Sprinkler drops, Tangential velocity of | T 90 |
| Sprinkler irrigation systems, Selection of economical pipe size for | T 186 |
| Sprinkler-irrigation systems, Time-and-motion study of undertree and overtree | T 502 |
| Sprinkler systems, Analytical design of | T 83 |
| Sprock, C. M. | |
| Fruit sorting by delayed light emission | T 18 |
| Stackers stack up, How mechanical | 626 |
| Staff, C. E. | |
| Storing and conveying water with plastics | 88 |
| Staley, L. M. | |
| Determining modulus of elasticity in agricultural products by loaded plungers | 274 |
| Stalk-cut tobacco on portable frames, Handling | 686 |
| Stamper, William C. | |
| Fresh water from the salty sea | 144 |
| Stanley, J. M. | |
| Spectral response of hornworm moths | T 183 |
| Temperature — controlled swine housing; weaning to market | T 545 |
| Stapleton, Herbert N. | |
| Event markers for use in field test measurements of power | T 572 |
| Starling electrocution | T 581 |
| Static coefficients of friction of grains on structural surfaces, Determining | T 53 |
| Statistical investigation of ignition contact life | T 586 |
| Steinbruegge, G. W. | |
| Propagating audio-frequency magnetic fields through soil | T 264 |
| Stephanson, B. T. | |
| How radioactive piston rings measure engine wear | 554 |
| Influence of gasoline and propane fuels on spark-ignition engine wear rates during low-temperature operation | T 441 |
| Stephens, C. A. | |
| Oil seals and lubricants | 264 |
| Stephenson, K. Q. | |
| Effects of freezing rate on structure and drying rate of freeze-dried foods | T 414 |
| Stevens, Delwin M. | |
| How mechanical stackers stack up | 626 |
| Stewart, R. E. | |
| Is there a need for a curriculum in agricultural mechanization? | 493 |
| Energy-size reduction relations in agricultural grain comminution | T 230 |
| Homeothermic regulation quantitatively analogized to a closed-loop system | T 476 |
| Stockton, J. R. | |
| Precision tillage for cotton production | T 177 |
| Stone, B. J. | |
| Air ionization in the environment of farm animals | T 15 |
| Storage on subsequent growth and yield of seed potatoes, Effect of methods of | T 138 |
| Storing and conveying water with plastics | 88 |
| Story, A. G. | |
| Shear and flexural characteristics of reinforced concrete face-expanded polystyrene core structural panels | T 565 |
| Stout, B. A. | |
| Effect of liquid and dry ballast in pneumatic tires on stability of tractors | T 135 |
| Strach, Z. | |
| Interrelation of physical and chemical properties in flow of colloidal suspensions in porous media | T 259 |

| | |
|--|-------|
| Strait, John | |
| Influence of gasoline and propane fuels on spark-ignition engine wear rates during low-temperature operation | T 441 |
| (Stressed-skin construction), Clear-span shed roofs without trusses | T 455 |
| Stresses in an adhesive between members subjected to bending | T 497 |
| Strip mulches, Thermal environments under synthetic | T 374 |
| Studies of crop response to drainage: | |
| I. growth chambers | T 94 |
| II. lysimeters | T 98 |
| Stump-jump mechanisms, Dynamic and kinematic characteristics of | T 406 |
| Suddarth, S. K. | |
| Stresses in an adhesive between members subjected to bending | T 497 |
| Suggs, C. W. | |
| Mechanical properties of tobacco stalks | T 361 |
| Sulek, John J. | |
| Operational characteristics of propane irrigation engines | T 431 |
| Sullivan, J. J. | |
| Relation of heavy chemical treatment to durability of wood in ground contact | T 238 |
| Surface force measurement, Transducer for | 688 |
| Surface irrigation water-distribution efficiency related to soil infiltration | T 76 |
| Survey reveals attitudes of engineers toward continuing education | 263 |
| Survey shows need for uniform smv identification | 621 |
| Swanson, N. P. | |
| Rotating-boom rainfall simulator | T 71 |
| Soil particles and aggregates transported in runoff from simulated rainfall | T 437 |
| Evaluation of mulches for water-erosion control | T 438 |
| Swine buildings, Gases and odors in confinement | T 118 |
| Swine housing: weaning to market, Temperature controlled | T 545 |
| Swine production (in cold climates) | 83 |
| Swine production (in hot climates) | 82 |
| Symmetric tensor of second rank, Darcy's coefficient of permeability as a | T 216 |
| Synthetic strip mulches, Thermal environments under | T 374 |
| T | |
| Taigandies, E. P. | |
| Waste disposal - pre-eminent challenge to agricultural engineers | 220 |
| Tangential velocity of sprinkler drops | T 90 |
| Tapered-screw conveyor for mixing granular materials, Characteristics of a | T 528 |
| Tavernetti, J. R. | |
| Precision tillage for cotton production | T 177 |
| Taylor, Sterling A. | |
| Managing irrigation water on the farm | T 433 |
| Teflon-covered simple tillage tool, Characteristics of a | T 227 |
| Temperature - controlled swine housing: weaning to market | T 545 |
| Temperature for evaluating or designing hog environments, Effective | T 163 |
| Temperature of fruits and vegetables in transient cooling, Mass-average | T 249 |
| Test measurements of power, Event markers for use in field | 572 |
| Thermal environments under synthetic strip mulches | T 374 |
| Thermal insulation of bovine hair coats as related to physical hair characteristics | T 377 |
| Thermal properties of grain | T 33 |
| Thiel, T. J. | |
| Tile drainage of a sloping fragipan soil | T 555 |
| Thomas, H. R. | |
| Temperature - controlled swine housing: weaning to market | T 545 |
| Thornburn, T. H. | |
| Mechanics of soil as influenced by model tillage tools | T 1 |
| Threshold materials in a vertical wind tunnel, Behavior of | T 411 |
| Tile at joints, Investigating flow into | 494 |
| Tile drainage of a sloping fragipan soil | T 555 |
| Tile drainage performance compared to theoretical predictions | T 548 |
| Tillage for potatoes, Primary | T 246 |
| Tillage, Minimum | 332 |
| Timbers, G. E. | |
| Determining modulus of elasticity in agricultural products by loaded plungers | 274 |
| Time-and-motion study of undertree and overtree sprinkler-irrigation systems | T 502 |
| Timing device for spray nozzle calibration | 91 |
| Tires on stability of tractors, Effect of liquid and dry ballast in pneumatic | T 135 |
| To measure water use for a given area | 683 |
| To weigh dry soil in sludge - fast | 451 |
| Tobacco, Compact curing of Maryland-type | T 596 |
| Tobacco curing cycles, Colorimetric evaluation of burley | T 417 |
| Tobacco, Influence of harvesting and process variables on bulk curing of bright leaf | T 354 |
| Tobacco leaves, Certain dielectric and physical properties of intact | T 524 |
| Tobacco on portable frames, Handling stalk-cut | 686 |
| Tobacco stalks, Mechanical properties of | T 361 |
| Toko, H. V. | |
| Control of potato-storage diseases as affected by air flow, temperature and relative humidity | T 578 |
| Toward one world - international cooperation year | 430 |
| Towles, D. R. | |
| Colorimetric evaluation of burley tobacco curing cycles | T 417 |
| Tracer techniques, An evaluation of radioactive isotopes and fluorescent | T 199 |
| Track shoe design on traction, Effect of | T 244 |
| Traction, Effect of track shoe design on | T 244 |
| Tractor-tire ballast compared | T 594 |
| Tractor transmissions?, How good are farm Tractor, When to buy a new | 380 |
| Tractors, Growing market for lawn and garden | 436 |
| Transducer for surface force measurement | 688 |
| Transmissions?, How good are farm tractor | 380 |
| Treatment of livestock waste - a laboratory study | T 113 |
| Tree limb, Forced vibration of a | T 473 |
| Tree shakers, Dynamics and design criteria of inertia-type | T 12 |
| Tree shaking, Computer analysis of | T 8 |
| Trelese, F. J. | |
| Development and dissipation of a groundwater mound | T 103 |
| Tropical fruit juices, Spin processing of | 154 |
| Tubing for headgate metering and turnout structures, Collapsible | 506 |
| Tukey, L. D. | |
| Mechanical behavior of selected fruits and vegetables under fast rates of loading | T 324 |
| Tupper, G. R. | |
| Coordinated development for new cotton production systems | T 568 |
| Turbine pumps, Axial thrust in vertical | 140 |
| 20-Year test of corrosion on zinc, A | 570 |
| U | |
| Underwater traction, What about | 391 |
| Unsteady-flow drainage problems, Glass bead-glycerol models for study of | T 379 |
| Unsteady flow of water over a porous bed having constant infiltration | T 60 |
| V | |
| VanDoren, D. M. | |
| Narrow-row corn: yield potential and current developments | T 322 |
| van Schilfgaarde, Jan | |
| Studies of crop response to drainage: | |
| I. growth chambers | T 94 |
| II. lysimeters | T 98 |
| Limitations of Dupuit-Forchheimer theory in drainage | T 515 |
| Ventilation design, Periodic analog for | T 223 |
| Ventilation, Spacing of buildings for natural | T 208 |
| Vertical and horizontal mulch on Haldiman clay | T 592 |
| Vibrating characteristics of fruits as related to in-transit injury | T 241 |
| Vibration characteristics of trellis-trained apple trees with reference to fruit detachment | T 20 |
| Vibration drying, An equation and dimensionless parameters describing infrared | T 520 |
| Vibration of a tree limb, Forced | T 473 |
| W | |
| Waechter, F. K. | |
| Fuels and lubricants for farm equipment: their problems and progress | 276 |
| Wafered hay in humid areas, Handling, storing, drying | T 256 |
| Walker, J. N. | |
| Predicting temperatures in ventilated greenhouses | T 445 |
| Wang, Jaw-Kai | |
| Spin processing for tropical fruit juices | 154 |
| Mechanical coffee harvesting | |
| Part A | T 400 |
| Part B | T 403 |
| Wanted: building to hold a revolution | 574 |
| Waste disposal - pre-eminent challenge to agricultural engineers | 220 |
| Waste, Treatment of livestock | T 113 |
| Wasteland?, Why let the countryside become a human wastrel world, Our | 677 |
| Water conservation with monomolecular films, Economics of | T 127 |
| Water-distribution efficiency related to soil infiltration, Surface irrigation | T 76 |
| Water-erosion control, Evaluation of mulches for | T 438 |
| Water from the salty sea, Fresh | 144 |
| Water resources research institutes in each state | 217 |
| Water systems for better fire protection, Design of domestic | 24 |
| Water-table recession, Influence of evaporation on | T 275 |
| Water use for a given area, To measure | 683 |
| Water use, Measuring farmstead | 204 |
| Water with plastics, Storing and conveying | 88 |
| Water yield computations | T 367 |
| Waterdrop impact forces | T 69 |
| Watershed problems, Advances in sedimentation relevant to | T 146 |
| Watershed protection, Electronic computers join SCS team in planning for | 272 |
| Watson, E. L. | |
| Determining modulus of elasticity in agricultural products by loaded plungers | 274 |
| Weakley, H. E. | |
| Recurrence of drought in the great plains during the last 700 years | 85 |
| Soil particles and aggregates transported in runoff from simulated rainfall | T 437 |
| Evaluation of mulches for water-erosion control | T 438 |
| Weber, J. A. | |
| Mechanics of soil as influenced by model tillage tools | T 1 |
| Comparison of methods of measuring soil shear strength using artificial soils | T 153 |
| Statistical investigation of ignition contact life | T 586 |
| Weeks, Stanley A. | |
| Mechanical handling of chopped hay in storage | 452 |
| Weigh dry soil in sludge - fast, To | 451 |
| What about computers in industry? | 332 |
| What about minimum tillage? | 332 |
| What about underwater traction? | 391 |
| Wheel skidder, The JD | 634 |
| Wheels, Pressure distribution under rigid | T 305 |
| When to buy a new tractor | 680 |
| Whithy, K. T. | |
| Mechanics of air cleaning | T 342 |
| White, G. M. | |
| Evaluating light sources for grading tobacco | T 452 |
| Whitten, J. L. | |
| Agriculture's role in the economy | 553 |
| Why let the countryside become a human wasteland? | 677 |
| Wilkins, D. E. | |
| An evaluation of radioisotope and fluorescent tracer techniques | T 199 |
| Willardson, L. S. | |
| Motor-driven flowmeter | 334 |
| Williamson, R. E. | |
| Studies of crop response to drainage: | |
| I. growth chambers | T 94 |
| II. lysimeters | T 98 |
| Willis, A. H. | |
| Dynamic and kinematic characteristics of stump-jump mechanisms | T 406 |
| Willis, W. O. | |
| Neutron moisture meter calibration for use in saline soils | 326 |
| Willison, George B. | |
| Clear-span shed roofs without trusses (stressed-skin construction) | T 455 |
| Wind erosion control, Effect of kind, amount, and placement of residue on | T 327 |
| Wind tunnel, Behavior of threshed materials in a vertical | T 411 |
| Winn, Paul N., Jr. | |
| Compact curing of Maryland-type tobacco | T 596 |
| Wiring for large and scattered loads, Farmstead | T 157 |
| Wittner, Bill B. | |
| How a utility helped promote automatic feed handling | 633 |
| Witt, Robert H. | |
| Growing market for lawn and garden tractors | 436 |
| Witz, Richard L. | |
| Flat-bottom, self-unloading bins for metering grain, hay and silage | T 86 |
| Witzel, S. A. | |
| Chemical and biological reactions from lagoons used for cattle | T 449 |
| Wolf, Dean C. | |
| Developments in hog-manure disposal | T 107 |
| Wood in ground contact, Relation of heavy chemical treatment to durability of | T 238 |
| Wood joints, Effect of cycling moisture content on lateral load-carrying capacity of three-member nailed | T 314 |
| Working flail hay harvest system, A | 678 |
| World, Our wastrel | 684 |
| Wormley, George W. | |
| Latin America tomorrow | 317 |
| Wornick, Robert C. | |
| Problems in mixing animal feed products | T 464 |
| X-Y-Z | |
| Yedidiah, M. Sh. | |
| Discussion on "axial thrust in vertical turbine pumps" | 153 |
| Yoder, Elmon E. | |
| Handling stalk-cut tobacco on portable frames | 686 |
| Yung, Ching | |
| Transducer for surface force measurement | 688 |
| Zahradnik, J. W. | |
| Long term performance evaluation of an all-wood c-a storage | T 443 |
| Zajanc, Adolph | |
| Stirling electrocution | T 581 |
| Zinc, A 20-year test of corrosion on | 570 |
| Zoerb, G. C. | |
| Automatic header-height control for grain crops | T 284 |

